



Bid End Date/Time/बिड बंद होने की तारीख/समय

Bid Opening Date/Time/बिड खुलने की तारीख/समय

Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)

Ministry/State Name/मंत्रालय/राज्य का नाम

Department Name/विभाग का नाम

Organisation Name/संगठन का नाम

Office Name/कार्यालय का नाम

Total Quantity/कुल मात्रा

Item Category/मद केटेगरी

BOQ Title/बीओक्यू शीर्षक

Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)

Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष

MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट

Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट

Document required from seller/विक्रेता से मांगे गए दस्तावेज़

Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया

RA Qualification Rule

Type of Bid/बिड का प्रकार

Primary product category

Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय

Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)

Estimated Bid Value/अनुमानित बिड मूल्य

Evaluation Method/मूल्यांकन पद्धति

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक

Schedule 1 EMD Amount/ईएमडी राशि (In INR)

Schedule 2 EMD Amount/ईएमडी राशि (In INR)

Schedule 3 EMD Amount/ईएमडी राशि (In INR)

Schedule 4 EMD Amount/ईएमडी राशि (In INR)

Schedule 5 EMD Amount/ईएमडी राशि (In INR)

Schedule 6 EMD Amount/ईएमडी राशि (In INR)

Schedule 7 EMD Amount/ईएमडी राशि (In INR)

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक

ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)

Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत

Beneficiary/लाभार्थी :

DIRECTOR

CUTTACK, Department of Empowerment of Persons with Disabilities, Swami Vivekanand National Institute of Rehabil
(Director, Svnirtar)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for turnover in respect of the completed financial years after the date of constitution shall be taken into account for this

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or the Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as per by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier shall be the percentage of the local content and the details of locations at which the local value addition is made along with the of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing auditor dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non-MII suppliers are not permitted to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1_4_2021_PPD dated 18.05.2023](#). Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in the Public Procurement Policy for Micro and Small Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase Preference to Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Seller of the product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be a criterion for reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder in the following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1.
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details are as follows:

Evaluation Schedules	Estimated Value
Schedule 1	0200000
Schedule 2	0600000
Schedule 3	0140000
Schedule 4	0800000
Schedule 5	0100000
Schedule 6	0600000
Schedule 7	049700

VAC Wound Management System

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

BOQ Detail Document

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्र
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

Lead Apron With Neck Shield With Stand

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier resp

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

BOQ Detail Document

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्र
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

Vein Mapper Locator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier resp

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

BOQ Detail Document

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्र
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

OT Table With Fracture Attachment

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier resp

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

BOQ Detail Document

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्र
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

Patient Trolley With Mattress

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier resp

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document**BOQ Detail Document**

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्र
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

Electro Cauty

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier resp

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document****BOQ Detail Document**

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्र
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

Ozone Machine Advanced

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier resp

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document**BOQ Detail Document**

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परिषिती/रिपोर्टिंग अधिकारी	Quantity/मात्रा
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 2% the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the same.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director, SVNIRTAR
payable at
Olatpur, Bairoi, Cuttack

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides EMD)

Director
payable at
Olatpur, Bairoi, Cuttack

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hardcopy to

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

(Ministry of :
Department of Em
OLATPUR, P.O
Tel. No: 06

Website: www.svnirtar.nic.in, E-mail: dir.nirtar@nic.in & svnirtar@gmail.c

Date-23.01.2024

(For procu

GENERAL INSTRUC

A. FOLLOWING DOCUMENTS TO BE UPLOADED.

SI	Name of documents		
1	GST Certificate	Pan Card	Aadhar card
4	Last quarter/month GST 3B receipt.		
5	IT return for 22-23		
6	Bidder turnover certificate mentioning UDIN Number of CA.		
7	Experience certificate in GEM.		
8	MSME certificate if any	MII certificate	
9	Leaflet/manual of equipment's.		
10	Technical Bid details as per Annexure-I (mandatory).		
11	Compliance Statement as per Annexure-II (mandatory).		

12	Declaration as per Annexure-III (mandatory).
13	Bank Account details (mandatory).
14	Warranty certificate to be given by bidder.

Annexure-I (Technical bid details format).

Sl. No	Information required	Information to be provided by the bidder
1	Name of the firm/ organization	
2	Whether the organization is proprietorship / partnership/ Pvt. Ltd.,/ Ltd. Company	
3	Local/present Address,	
4	Mob. No. & What's up No. and E-mail. Id of the proprietor/firm/contact person..	
4	If the head office other than in (3) above, then give the address for the same	

Annexure-II (FORMAT OF COMPLIANCE STATEMENT)

Name of Items	Required Specification	Whether complied to the required specification YES/NO	If yes, write name of brand /company of equipment to be supplied
1	2	3	4
	As mentioned in the document		

I/we having my/our office at
..... do hereby declare that I/we have carefully read all the terms & conditions of GEM BOQ BID of the SVNIRTAR, Olatpur, Bairoi, Dist-Cuttack, Odisha-754010
..... I will abide by all terms and conditions set forth in the tender paper and GEM for the period of agreement.

Signature of Bidder

-

-

B. Terms & Conditions

Ø **As per default terms & condition of GEM.**

Ø Materials will be delivered and installed at SVNIRTAR during working hours and on working days only. I

Ø If any items are not accepted, they may be replaced within seven days otherwise they will be rejected.

Ø If the price of any items or total amount of order is more than our estimate value, excess amount item

Ø Work will be treated as ok if it is accepted by the indenting department.

Ø Installation/demonstration is the responsibility of supplier. No extra cost will be paid for it.

Ø Warranty certificates may be submitted along with materials.

Ø Supplier must attend the call for maintenance of any defect of equipment/materials within warranty pe

Ø Defects in equipment/materials must be replaced/repared within seven days and equipment must be c

Ø Bidders may submit leaflets and details specification of materials to be supplied.

Ø **MSME certificate will be accepted for exemption of EMD if bidder is the manufacturer of th**

Details of items to be procured.

Item No	Items name	Specification	Qty	A/U
01	VAC Wound Management System	Pressure: 30mm Hg to-220mmHg	1	No
02	Lead apron with Neck Shield with stand.	As per specification given below	10	No
03	Vein mapper- Locator	As per specification given below	2	No
04	OT Table with fracture attachment	As per specification given below	1	No
05	Patient Trolley with mattress	Stretcher trolley with oxygen cage & safety rails for patients. Emergency recovery trolley, MS stretcher top with cushion top (Trolley for hospital), Dimension- 84"x22"x32".	10	No
06	Electro Cautry	As per specification given below.	1	No
07	Ozone Machine Advanced	Ozone machine advanced (including regulator, silicon tube-2 mtr, destructor, Oxygen tube-2 mtr. It is used for pain management while treatment of patients.	1	No

—
—
—
—
—
—
—
—
—
—

-
-
-
-
-
-
-
-

Detail Specification

<p>2</p> <p>Lead Apron with Neck Shield with Stand</p>	<p>Leadfree Coat aprons with attached thyroid shield</p> <p>(a) Apron should be Ultralight in weight and thyroid shield should be permanently attached with it.</p> <p>(b) Lead equivalence of 0.5 mm (pb).</p> <p>(c) All models should have anti skid pads resulting in comfort of wearing over shoulders.</p> <p>(d) Radiation protection apparel should incorporate high quality protection sheet of even thickness.</p> <p>(e) Stains of blood, contrast, bile etc. should be easily washable.</p> <p>(f) Apron should consist of lead free protective material manufactured with non toxic heavy metals.</p> <p>(g) Core Materials should be mix of Bilayer (Antimony and Bismuth having an Area Density of 2.8 Kg/sqm at 0.25 mm Pb. (i) The supplier must provide colour choice and department /User name on the aprons.</p> <p>(j) Product should be having ISO 10993-2009 for biological evaluation if cytotoxicity.</p> <p>(k) Product should be having ICMED 13485: Indian Certification for medical devices.</p> <p>(l) Product should be European CE marked and certified as meeting the requirements of EU directive 89/686/EEC from a notified body.</p> <p>(m) Manufacturer should be ISO 13485: 2016 and ISO 9001 certified.</p> <p>Lead apron Stand for 5 Aprons</p> <p>(a) It should be mobile and sturdy. (b) It should accommodate 5 Lead Aprons. (c) The hangers for apron should be of stainless steel. Hangers' material should be stainless steel or stain free material and adequate load bearing capacity. (d) It should be convenient to move with braking mechanism. (e) Product should be having ICMEDI 13485: Indian Certification for medical devices. (f) Manufacturer should be ISO 13485 and ISO 9001 certified. (g) Manufacturer should be having past performance of atleast 3 years.</p>
--	---

<p>3 Vein Mapper (locater)</p>	<p>Display: DLP Display Infrared Wavelength: 850nm Image Resolution: 856*480 pixels Visible Vein Size: > 1 mm Penetration Depth: < 8 mm Optimal Imagine Distance: 15-25cm Operation Mode: Basic Mode, Iverse Mode, Enhance Mode Image Color : Single color and Mixed Color Image Size: Large: Large(L), Medium(M), Small(S) Brightness : High(H), Medium(M), Low(L) Power Supply: Rechargeable Lithium Battery (300mAh), DC 5V 2A Battery Life: 2 Hours after fully charged Net Weight: 350g Dimension: 21.2x6.6x6.5cm</p>
------------------------------------	---

4 OT Table with Fracture Attachment	Head Rest (Gas Spring Type)-1 Nos	Centre Bed-1Nos	Detachable Back Rest-1Nos	Long urology Bed-1N
	os	Leg Bed (Gas Spring Type) Right-1 Nos	Leg Bed (Gas Spring Type) Left- Additional	
	1 Nos	Ortho Bed (Regular)- 1 Nos	Standard Accessories Arm Rest-	
	Bed- 1 Nos	Simple Side End Block-3Nos	Extension Bar Left-1 Nos	Extension Bar Right- 1 N
	os	Modified Lithotomy- 1 Nos	Side Support- 1 Nos	Anesthesia Screen Rod- 1 Or
	Nos	thopaedic Traction Attachment- Double Joint - 1 Nos	DHS / Femur Counter Traction Post- Fiber- 1Nos	Telescopic Traction Left- 1 Nos
	opic Traction Right-1 Nos	DHS Extension- 1Nos	Telescopic Traction Right-1 Nos	Telesc
	1Nos	Traction Boot Right- 1 Nos	Traction Boot Left-	
	2Nos	Screw Tension Device (Ball Mechanism)- Hand Surge		
	ry Bed - 1Nos	Humerous Bed - 1Nos	Flat Clamp-3 Nos	
	Radial Setting Clamp-2 Nos	Tibia Attachment with Thigh Holder & Telescopic Extension For Traction		
	Steinman Pin Traction Bolsters	THR & TKR Attachment Adaptor For Shoulder Arthoscopy-Floor Support Femur In Lateral Shoulder Traction Pulley Accessories Stand (MS)		
	Radiolucent Wilson Spinal Frame- Shoulder Arthroscopy Bed with Head Holder-Finger Traction	Knee Arthroscopy Attachment		
		Shoe Plate (SS)		
		Body Binder		
		Wrist Binder		
		Hip Spica		
		Horse Shoe Shaped Cervical Attachment wit		
		h Adaptor		

6	Specifications for Electro Surgical Unit/Diathermy/Cautery
----------	---

1	System should come with Micro-processor-based technology with capacity of 300 watts and can be used for all Open & Laparoscopic surgeries including liver resection & liver transplantation with monopolar and bipolar modes available.
2	It should have capacity to monitor changes in tissue impedance by 4,34,000 times per second to produce consistent clinical tissue effects and adjust the energy output accordingly.
3	It should come with Three-section touch screen display for ease of use and should display error alerts also.
4	It should be compatible with three button cautery pencil to use advanced monopolar mode like cut / coagulation with single button and independently also with cut & coagulation button and have a capacity to use lower power settings resulting in less char, less thermal spread and less arcing than a traditional monopolar coagulation mode.
5	It should have Auto Bipolar Mode to use Bipolar Energy without Bipolar Energy without Bipolar Foot Switch.
6	It should have 6 different modes like Low / Medium / High / Precise / Standard / Macro modes for Bipolar Energy Usage.
7	It should have Pure Cut / Blend Cut modes in Monopolar Cut energy.
8	It should have 6 different modes like soft / fulgurate / shared fulgurate / shared spray / spray modes in Monopolar coagulation energy.
9	It should come with internal memory of 8GB storage capacity to store events & errors .
10	It should be compatible with other devices, including: a. Argon Plasma Coagulation System b. Smoke Evacuator.
11	Unit should perform self-test during Power ON.
12	Unit should have digital Wattage Indications for Bipolar, Monopolar Cut and Coagulation.
13	Unit should have Two Monopolar outputs to use by two surgeons simultaneously.

14	Unit should have Audio Visual Patient Plate Error Monitoring System.
15	Unit should have Split type Patient Plate contact quality monitoring System for Maximum Patient Safety (Unit should not be delivering power until and unless maximum are of the patient plate is attached to patient body to minimize the risk of post-operative cautery burns)
16	Monopolar Coagulation Should consist Spray for Non-Contact Coagulation.
17	Monopolar Coagulation Should consists of Fulgurae mode for Monopolar Underwater Coagulation & Cutting to use for TURP procedures.
18	Unit should be compactable with three button monopolar pencil which can be used to adjust the power output of the machine from the sterile field itself.
19	Unit should have facility to use monopolar and bipolar function without Switchover.
20	Unit should have simultaneous coagulation facility in monopolar coagulation.
21	Unit should have a facility to use auto bipolar mode by setting delay time of up to 2.5 seconds.
22	Unit should have facility to enable Auto Bipolar & Ammeter as per the requirement.
23	The system should have current ammeter, to display the conductivity of the bipolar energy.
24	Should be able to use shared coagulation in monopolar mode and should have an option to enable and disable the shared coagulation facility also.
25	Should have an option to enable and disable auto bipolar as per the requirement from the surgeon.
26	There should be soft coagulation mode to do precise surgeries like Liver Resection & Liver Transplants.
27	It should have facility to use shared coagulation mode with two pencils of two buttons or one pencil of two buttons & one pencil of three buttons.
28	System should be software Upgradable for future features usage.

29	Unit should have US FDA and European CE Approved.
30	<p>Output Waveforms:Bipolar Mode</p> <p>Precise- More than 400 kHz continuous sinusoid</p> <p>d- More than 400 kHz continuous sinusoid</p> <p>More than 400 kHz continuous sinusoid</p> <p>e than 400 kHz continuous sinusoid</p> <p>n 400 kHz continuous sinusoid</p> <p>e than 400 kHz continuous sinusoid</p> <p>Standar</p> <p>Macro-</p> <p>Low- Mor</p> <p>Medium- More tha</p> <p>High- Mor</p>
31	<p>Monopolar cut</p> <p>More than 400 kHz continuous sinusoid</p> <p>nd- more than 400 kHz sinusoid bursts of sinusoid,</p> <p>27.7KHz +/- 10% Intervals. 50% Duty Cycle.</p> <p>Pure Cut-</p> <p>Ble</p> <p>recurring at</p>
32	<p>MonopolarCoag</p> <p>More than 400 KHz continuous sinusoid</p> <p>an 400 kHz damped sinusoidal bursts with a repetition frequency of 27.7k Hz +/-10% with 6.25% Duty cycle. Shared Fulgurate- More th</p> <p>amped sinusoidl bursts with a repetition frequency of 27.7kHz +/-10% wit h 6.25% Duty cycle</p> <p>Spray- more than 400 khz damped sinusoidal bursts with a repetition f requency of 21.1 kHz +/- 10% with 4.76% Duty cycle Shared Spray- More than 400 khz damped sinusoidal bursts with a repetition frequency of 21. 1khz +/-10% with 4.76% Duty cycle</p> <p>Soft-</p> <p>Fulgurate- More th</p>
33	System should have standards of IEC 60601-1:2012 for leakage Currents & Patient Auxiliary Currents.
34	System should be Defibrillator proof with standards of (IEC 60601-1 IEC 60601-2-2,and ANSI/AAMI HF18)
35	System should have safety standards for Liquid silage/Ingress so that in n ormal usage it should not we electrical insulation or other components, w hich when wetted are likely to adversely affect the safety of the equipmen t.

36

System should have standards of Voltage Transients-Energy Platform mains transfer (IES 60601-1. IEC 60601-2-2 and ANSI/AAMI HF18) so that system continues to operate normally with no errors or system failures when transfer is made between line AC and an emergency system voltage source. The system may momentarily shut down in safe mode.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and the following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to extant Order.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category restriction.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying Indian Standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience only.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bidding process, the seller shall lodge the same in writing with the Buyer within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representation within 4 days of receipt of the same.

[This Bid is also governed by the C](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which share a land border with India shall be required to provide a compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws. जेम की सामान्य शर्तों के खंड 26 बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन